COMPARING FORMULAS FOR CMPI/CMPA

| | Alimentum (ready to feed) | (powder) | Nutramigen (ready to feed) | Nutramigen (powder) | | Neocate Syneo | Elecare | Puramino | Alfamino |
|-----------------------|---------------------------------|----------|----------------------------------|--|--------------|------------------------|-------------------------|---------------------------------------|------------------------|
| Casein Hydrolysate | 2% | 2% | 2% | 2% | | | | | |
| Soy Oil | 1% | 1% | palm, coconut & | 3% (soy, palm, coconut & sunflower) | | | 7 % | 8% | 5-15% |
| Corn Syrup Solids | | | 5% | 5% | 54% | 51% | 55% | 48% | 53% |
| Corn Starch | | 2% | 2% | 2% | | | | | |
| Tapioca Starch | 2% | | | | | | | 4% | |
| Potato Starch | | | | | | | | | Less than 5% |
| Canola Oil | | | 2% | 2% | 4% | 4% | | | |
| Safflower Oil | 1% | 1% | | | | | 9% | | |
| Sunflower Oil | | | | | 11% | 10% | | 10% | Less than 5% |
| Coconut Oil | 1% | 1% | | | 8% (or palm) | 8% (or palm) | 8% | 9% | Less than 2% palm |
| MCT Oil Source | Coconut (most likely) | | | Coconut and/or palm | | Coconut and/or palm | Coconut (most often) | Vegetable oils, coconut or palm | Coconut and/or palm |

PLEASE NOTE: PERCENTAGES IN THE ABOVE TABLE REFLECT THE PREPARED VOLUME OF POWDERED FORMULA ONCE WATER HAS BEEN ADDED.

